INDEX TO VOLUME 32

AUTHORS INDEX*

A

ABRAMS, S. F., Dührssen's incisions, 312
ADAIR, FRED L., AND DASEF, LAURA, Le Fort colpocleisis, 218
—, AND HESSELTINE, H. CLOSE, Histopathology and treatment of vaginitis, 1
—, (WITH DIECKMANN, WILLIAM J., AND GRANT, KENNETH), Anemia in pregnancy, 560
ARNELL, RUPERT E., (WITH KRETZSCHMAR, NORMAN R.), Symptomatic rupture of graafian follicle or corpus luteum, 308

B

BALL, ROBERT P., Pelvicephalography, 249
BALLARD, MARGARET B., Spontaneous rupture of membranes before onset of labor, 445
—, Triple pregnancy diagnosed by means of x-ray, 317
BAUER, CARL P., (WITH KANTER, AARON E., AND KLAWANS, ARTHUR H.), A study of fibromyomas of uterus with respect to endometrium, myometrium, symptoms, and associated pathology, 183
BEECHAM, CLAYTON T., Ergot in puerperium, 330
BEHNEY, CHARLES A., (WITH NORRIS, CHARLES C.), Radium irradiation for benign hemorrhage, 661
BERNSTEIN, PHINEAS, Tumors of ovary, 1023
BINGHAM, ARTHUR, Polyneuritis of pregnancy, 144
BLAND, P. BROOKE, AND RAKOFF, A. E., Investigation of a new pentavalent arsenical, aldarsone, in treatment of trichomonas vaginitis, 835
BOGIN, MAXWELL, (WITH WEINSTEIN, LOUIS, HOWARD, JOSEPH H., AND FINKELSTONE, BENJAMIN B., A survey of vaginal flora at various ages, with special reference to Döderlein bacillus, 211
BOWMAN, R. O., AND PITTS, H. C., Calcium and phosphatase studies in cancer of female sex with a consideration of basal metabolic rate and urine pH, 957
BOYD, ELDON M., Blood lipids in preeclampsia, 937
BRADY, LEO, An operation to correct genital prolapse following vaginal panhysterectomy, 295
—, Further study of extraperitoneal pelvic conditions in women, 577
BROWN, PORTER, Further observation with dial urethane for obstetric analgesia, 1017
BROWN, T. K., AND HUNT, GEORGE A., A bacteriologic study of 500 consecutive abortions, with treatment and results, 804
BURCH, JOHN C., (WITH SIMPSON, JOHN W., ELLISON, E. T., AND PHELPS, DORIS), Evaluation of hypophyseal factor in interpretation of endometrial changes, 129

C

CADDEN, J. F., AND FARIS, ARTHUR M., Nonprotein, urea, and rest nitrogen of blood during normal pregnancy and puerperium, 421
CALDWELL, WILLIAM E., MOLOY, HOWARD C., AND D'ESOPO, ANTHONY, Rôle of lower uterine soft parts in labor, 727
CALHOUN, D. A., A new and efficient method of infant circumcision, 159
CARROLL, B. H., Collecting a clean urine specimen, 1066
CASAGRANDE, JOHN, A full-term pregnancy complicated by an acute intestinal obstruction and false labor pains, 1058
CHEATHAM, GOODE R., Obstetrics in industrial medicine, 542
CLARKE, FRANK J., (WITH LUBIN, SAMUEL), Effects of progestin on afterpains, 134
CRON, ROLAND S., Chorionepithelioma complicated by septicemia, 348
CROSMAN, ARTHUR M., An experimental study of dissolution and absorption of retained dead fetuses, 964

D

DALBY, ROBERT G., JACOX, HAROLD W., AND MILLER, NORMAN F., Fracture of femoral neck following irradiation, 50
DAMON, VIRGIL G., A review of 226 cases of obstetric analgesia, 1009
DANFORTH, W. C., Immediate repair of cervical injuries, 710
DANNREUTHER, WALTER T., Secondary sequelae after interposition of uterus, 699
DASEF, LAURA, (WITH ADAIR, FRED L.), Le Fort colpocleisis, 218
DAVIS, M. EDWARD, Treatment of placenta previa, 518
DERBRUCKE, M. G., Notes on use of recently introduced ergot alkaloids in puerperium, 474
D'ESOPO, ANTHONY, (WITH CALDWELL, WILLIAM E., AND MOLOY, HOWARD C.), Rôle of lower uterine soft parts in labor, 727
DICKINSON, ROBERT L., AND HARTMAN, CARL G., Similarity in cervix of rhesus monkey and woman, 813
DIECKMANN, WILLIAM J., Acute nephritis and pregnancy, 227
—, Blood and plasma volume changes in eclampsia, 927
—, (WITH ADAIR, FRED L., AND GRANT, KENNETH), Anemia in pregnancy, 560
DILLE, JAMES M., Studies on barbiturates XIV, 328
DUNNE, F. SIDNEY, (WITH NORRIS, CHARLES C.), Carcinoma of body of uterus, 982

*July, pp. 1-182; August, pp. 183-364; September, pp. 365-546; October, pp. 547-726; November, pp. 727-910; December, pp. 911-1102.

E

ELDEN, C. A., AND WILSON, K. M., Progesterone treatment for dysmenorrhea, 91

—. (WITH WILSON, KARL M.), Some points in treatment of endometrial hyperplasia by progesterone therapy, 194

ELLISON, E. T., (WITH SIMPSON, JOHN W., PHELPS, DORIS, AND BURCH, JOHN C.), Evaluation of hypophyseal factor in interpretation of endometrial changes, 129

EMGE, L. A., AND MURPHY, KATHLEEN M., Relation of endocrine system to tumor growth, 593

ENGLE, E. T., (WITH WIESBADER, HANS, AND SMITH, P. E.), Menstrual bleeding after corpus luteum excision, followed by estrin or progestin therapy, 1039

F

FALLS, FREDERICK H., Abdominal aneurysm, 164

—, Critical study of low cervical and classical cesarean section operations, 989

FARIS, ARTHUR M., (WITH CADDEN, J. F.), Nonprotein, urea, and rest nitrogen of blood during normal pregnancy and puerperium, 421

FEINER, DAVID, Analytical study of 347 consecutive cesarean sections, 1001

FINKELSTONE, B. B., HOWARD, JOSEPH H., AND PARIS, MARCUS, Intramuscular injection of vitamins A and D concentrates during pregnancy, 113

—, (WITH WEINSTEIN, LOUIS, BOGIN, MAXWELL, AND HOWARD, JOSEPH H.), A survey of vaginal flora at various ages, with special reference to Döderlein bacillus, 211

FLUHMANN, C. F., Estrogenic substances in blood of women, 612

FORMAN, ISADOR, Ionization method for treatment of endocervicitis, 503

FRANK, ROBERT T., Carcinogenic and estrogenic substances, 169 (Editorial)

FROSCH, FRANK J., Bicornate uterus with ovarian, omental and pelvic endometriosis, 490

G

GAINES, JOSEPH A., Brenner tumors of ovary, 457

GARBER, M., AND YOUNG, A. M., Early chorionepithelioma arising in hydatidiform mole, 321

GASPAR, ISTVAN A., (WITH QUIGLEY, J. K.), Fatal air embolism on eighth day of puerperium, 1054

GEGERSON, ALLAN A., (WITH GEGERSON, HARRY J., AND PENNER, SIDNEY L.), Factors affecting incidence of puerperal morbidity, 118

GEGERSON, HARRY J., GEGERSON, ALLAN A., AND PENNER, SIDNEY L., Factors affecting incidence of puerperal morbidity, 118

GEIGER, CLYDE J., Benign and malignant polyps of cervix uteri, 465

GILFILLEN, G. C., AND GREGG, W. K., A new, rapid, economical test for pregnancy and certain gynecologic conditions, 498

GNASSI, A. M., (WITH KELLEY, CHARLES B.), Granulosa cell carcinoma, 340

GOODALL, J. R., Total versus subtotal hysterectomy, 628

GORDON, ONSLOW A., JR., A contribution to etiology and treatment of puerperal inversion of uterus, 399

GOSPE, SIDNEY M., Bio-assay of a granulosa cell tumor, 495

GRANT, KENNETH, (WITH ADAIR, FRED L., AND DIECKMANN, WILLIAM J.), Anemia in pregnancy, 560

GREGG, W. K., (WITH GILFILLEN, G. C.), A new, rapid, economical test for pregnancy and certain gynecologic conditions, 498

GRIFFIN, ROBERT J., Palpation of fetal heartbeat through maternal abdominal wall, 515

H

HANNA, GEORGE C., Cesarean section in dystocia, 452

HANSMANN, G. H., (WITH OLSON, H. J.), Endometriosis during final month of pregnancy, 148

HANSON, SAMUEL, Transversely contracted midpelvis with particular reference to forceps delivery, 385

HARER, W. BENSON, A study of 1,000 placentas, 794

HARRIS, J. ARTHUR, (ROSENDAHL, GORTNER, AND BURR), 537 (Book review)

HARRIS, L. J., HERRMANN, WALTER W., Microscopic and bacteriologic study of urine of obstetric patients, 300

HARRIS, WILLIAM, (WITH MAYER, MAX D., WIMPFHEIMER, SEYMOUR), Therapeutic abortion by means of x-ray, 945

HARTMAN, CARL G., (WITH DICKINSON, ROBERT L.), Similarity in cervix of rhesus monkey and woman, 813

HAWKES, STUART Z., Acute appendicitis complicating late pregnancy, 501

HEFFERNAN, ROY J., Dermoid cyst diagnosed by x-ray, 507

HERRMANN, WALTER W., (WITH HARRIS, L. J.), Microscopic and bacteriologic study of urine of obstetric patients, 300

HESSELTINE, H. CLOSE, (WITH ADAIR, FRED L.), Histopathology and treatment of vaginitis, 1

HIXSON, C. H., Myxofibrosarcoma of ovary, 162

HOLDEN, FREDERICK C., Pregnancy and delivery at term following reconstruction of oviducts, 346

HOLLOWAY, HOWARD J., Cervicitis and endocervicitis in relation to gynecologic symptomatology, 304

HORNER, D. A., Antepartum fetal death, 67

HOWARD, JOSEPH H., (WITH FINKELSTONE, B. B., AND PARIS, MARCUS), Intramuscular injection of vitamins A and D concentrates during pregnancy, 113

—, (WITH WEINSTEIN, LOUIS, BOGIN, MAXWELL, AND FINKELSTONE, BENJAMIN B.), A survey of vaginal flora at various ages, with special reference to Döderlein bacillus, 211

HUNT, GEORGE A., (WITH BROWN, T. K.), A bacteriologic study of 500 consecutive abortions, with treatment and results, 804

I

ILL, CARL H., Diabetes complicating pregnancy, 157

INGRAHAM, HAROLD C., Comparative study of pelvic temperatures under various therapeutic procedures, 1048

IRVING, FREDERICK C., A study of 308 cases of placenta previa, 36

J

JACOBS, J. BAY, Further improvement in pelvimetric roentgenography, 76

JACOX, HAROLD W., (WITH DALBY, ROBERT G., AND MILLER, NORMAN F.), Fracture of femoral neck following irradiation, 50

K

KAHN, MILTON E., An improved umbilical cord clamp, 513

KANE, HOWARD F., Use of progesterone in combating habitual abortion, 110

KANTER, A. E., Interstitial pregnancy, 167

—, KLAWANS, ARTHUR H., AND BAUER, CARL P., A study of fibromyomas of uterus with respect to endometrium, myometrium, symptoms, and associated pathology, 183

KASSEBOHM, FRED A., AND SCHREIBER, MILTON J., Tracheoesophageal fistula and complete esophageal stenosis of newborn, 509

—, AND —, Traumatic gynatresia, 869

KELLEY, CHARLES B., AND GNASSI, A. M., Granulosa cell carcinoma, 340

KENNEDY, WILLIAM T., Tuboovarian pregnancy, 1050

KIMBROUGH, ROBERT A., AND SHIREY, ROBERT M., Statistical survey of eclampsia, 415

KING, ARTHUR G., Cervical Dilatation in dry labor and after deliberate early rupture of membranes, 201

KIRSHBAUM, J. D., Metastatic carcinoma to ovary from vocal cord, 165

KLAWANS, ARTHUR H., (WITH KANTER, AARON E., AND BAUER, CARL P.), A study of fibromyomas of uterus with respect to endometrium, myometrium, symptoms, and associated pathology, 183

KRETZSCHMAR, NORMAN R., AND ARNELL, RUPERT E., Symptomatic rupture of graafian follicle or corpus luteum, 308

KUSHNER, J. IRVING, A critical analysis of first 3,060 cases delivered at Bronx Hospital, 874

L

LAVIETES, PAUL H., (WITH PETERS, JOHN P., AND ZIMMERMAN, HARRY M.), Pyelitis in toxemias of pregnancy, 911

LEBOVITZ, JULIUS, Decidua polyposa with abnormal adhesions, 160

LEFF, MORRIS, Fetal heart dilatation; pulmonary congestion and pulmonary edema neonatorum; "congenital pneumonia"; asphyxia, 286

LINDEMAN, HOWARD EDWARD, A forty-nine-pound retroperitoneal cystic fibroid, 151

LUBIN, SAMUEL, AND CLARKE, FRANK J., Effects of progestin on afterpains, 134

LYNCH, FRANK W., A clinical review of 110 cases of ovarian carcinoma, 753

M

MACKLIN, MADGE THURLOW, Heredity as cause of congenital malformations, 258

MASON, KARL E., (WITH SIMPSON, JOHN W.), New concept of senile vaginitis, 125

MASSON, JAMES C., AND MONTGOMERY, HAMILTON, Relationship of acanthosis nigricans to abdominal malignancy, 717

MAYER, MAX D., HARRIS, WILLIAM, AND WIMPFHEIMER, SEYMOUR, Therapeutic abortion by means of x-ray, 945

MCCURDY, ROBERT A., (WITH MOORE, S. FOSTER, JR.), Use of paraldehyde analgesia in labor, 97

MCKENZIE, CHARLES H., Banti's disease and pregnancy; splenectomy; delivery of full-term living child six and one-half months later, 486

MEYNIER, MAURICE J., JR., Intrathecal injection of a solution of alcohol for intractable pain in pelvis and lower extremities, 265

MILLER, JAMES RAGLAN, Retroperitoneal pelvic tumors encountered by gynecologist, 652

MILLER, NORMAN F., (WITH DALBY, ROBERT G., AND JACOX, HAROLD W.), Fracture of femoral neck following irradiation, 50

MOENCH, G. L., Consideration of some of aspects of sterility, 406

MOLOY, HOWARD C., (WITH CALDWELL, WILLIAM E., AND D'ESOPO, ANTHONY), Rôle of lower uterine soft parts in labor, 727

MONEN, SONYA ARINA, Epithelioma of clitoris, 882

MONTGOMERY, HAMILTON, (WITH MASSON, JAMES C.), Relationship of acanthosis nigricans to abdominal malignancy, 717

MONTGOMERY, THADDEUS L., Indications for contraception from point of view of obstetrician and gynecologist, 470

MOORE, JOHN H., North Dakota Committee on Maternal Welfare, 541

MOORE, S. FOSTER, JR., AND MCCURDY, ROBERT A., Use of paraldehyde analgesia in labor, 97

MORSE, ARTHUR H., AND VAN WAGENEN, G., Observations upon ovulation in primates, 823

MULL, JAMES W., (WITH NICE, MARGARET, MUNTWYLER, EDWARD, AND MYERS, VICTOR C.), Acid-base balance of blood during normal pregnancy and puerperium, 375

MUNTWYLER, EDWARD, (WITH NICE, MARGARET, MULL, JAMES W., AND MYERS, VICTOR C.), Acid-base balance of blood during normal pregnancy and puerperium, 375

MURPHY, DOUGLAS P., Pad for keeping patient dry in bed in cases of vesicovaginal fistula, 516

—, Parental age difference and conception of congenitally malformed children, 873

MURPHY, KATHLEEN M., (WITH EMGE, L. A.), Relation of endocrine system to tumor growth, 593

MYERS, VICTOR C., (WITH NICE, MARGARET, MULL, JAMES W., AND MUNTWYLER, EDWARD), Acid-base balance of blood during normal pregnancy and puerperium, 375

N

NAU, CARL A., A study of action of gonadotropic substances precipitated by tannic acid, 272

NICE, MARGARET, MULL, JAMES W., MUNTWYLER, EDWARD, AND MYERS, VICTOR C., Acid-base balance of blood during normal pregnancy and puerperium, 375

NORRIS, CHARLES C., AND BEHNEY, CHARLES A., Radium irradiation for benign hemorrhage, 661

—, AND DUNNE, F. SIDNEY, Carcinoma of body of uterus, 982

NOVAK, EMIL, Brief epitome of gynecologic endocrinology and organotherapy, 887

—, AND YUI, ENMEI, Relation of endometrial hyperplasia to adenocarcinoma of uterus, 674

O

OBERST, F. W., AND PLASS, E. D., Hydrogen ion concentration of human vaginal discharge, 22
OLSON, H. J., AND HANSMANN, G. H., Endometriosis during final month of pregnancy, 148
OSHEROFF, S. A., Lithopedion, 1064
OWEN, MAY, (WITH ROBBERSON, JASON H.), Emphysematous vaginitis, 1062

P

PALMER, GEORGE A., Maternal mortality study for Akron, Ohio, 896
PARIS, MARCUS, (WITH FINKELSTONE, B. B., AND HOWARD, JOSEPH H.), Intramuscular injection of vitamins A and D concentrates during pregnancy, 113
PASTORE, JOHN B., Cell volume following delivery and its relation to blood loss and postpartum infection, 859
—, Use of pituitrin intravenously in third stage of labor, 280
PENNER, SIDNEY L., (WITH GEGERSON, HARRY J., AND GEGERSON, ALLAN A.), Factors affecting incidence of puerperal morbidity, 118
PETERS, JOHN P., LAVIETES, PAUL H., AND ZIMMERMAN, HARRY M., Pyelitis in toxemias of pregnancy, 911
PHANEUF, LOUIS E., Low or cervical cesarean section, 240
PHELPS, DORIS, (WITH SIMPSON, JOHN W., ELLISON, E. T., AND BURCH, JOHN C.), Evaluation of hypophyseal factor in interpretation of endometrial changes, 129
PITTS, H. C., (WITH BOWMAN, R. O.), Calcium and phosphatase studies in cancer of female sex with a consideration of basal metabolic rate and urine pH, 957
PLASS, E. D., AND SEIBERT, C. W., Premature rupture of membranes as means of inducing labor, 785
—, (WITH OBERST, F. W.), Hydrogen ion concentration of human vaginal discharge, 22

Q

QUIGLEY, J. K., AND GASPAR, ISTVAN A., Fatal air embolism on eighth day of puerperium, 1054

R

RAKOFF, A. E., (WITH BLAND, P. BROOKE), Investigation of a new pentavalent arsenical, aldarsone in treatment of trichomonas vaginitis, 835
REEVES, T. K., Interstitial pregnancy, 880
REINBERGER, JAMES R., Investigation and analysis of puerperal deaths in Memphis, 170
REZEK, GEORGE H., A biologic test for diagnosis of intrauterine fetal death, 976
RICHARDSON, EDWARD H., Total hysterectomy by abdominal versus vaginal route in benign uterine disease, 641
RICHARDSON, GARWOOD C., Significance of fetal heart tones in ablatio placentae, 429
ROBBERSON, JASON H., AND OWEN, MAY, Emphysematous vaginitis, 1062
ROBINSON, M. R., A report of three cases of primary cancer of fallopian tubes, 84
RONSHEIM, JOSHUA, Results of treatment in placenta previa, 139
ROSENFELD, SAMUEL S., Recognition and prevention of bladder injuries, 333
RUDOLPH, LOUIS, Premature separation of placenta, 479

S

SAVAGE, J. E., Twisted hematosalpinx complicating pregnancy, 1043
SCHEFFLER, MILTON M., Two cases of unruptured ectopic pregnancy, 1061
SCHMITZ, HERBERT E., Full-term normal pregnancy following use of 1,000 mg. hr. of radium for menorrhagia, 351
SCHOENECK, FERDINAND, Quantitative Friedman test in hydatidiform mole and vomiting of pregnancy, 104
SCHREIBER, MILTON J., (with Kassebohm, Fred A.), Traumatic gynatresia, 869
—, (WITH KASSEBOHM, FRED A.), Tracheoesophageal fistula and complete esophageal stenosis of newborn, 509
SCHUMANN, EDWARD A., Size and shape of pelvic inlet as determined by direct measurement, 832
SCOTT, W. A., Pregnancy after removal of both ovaries, 1067
SEIBERT, C. W., (WITH PLASS, E. D.), Premature rupture of membranes as means of inducing labor, 785
SHIREY, ROBERT M., (WITH KIMBROUGH, ROBERT A.), Statistical survey of eclampsia, 415
SIMPSON, JOHN W., ELLISON, E. T., PHELPS, DORIS, AND BURCH, JOHN C., Evaluation of hypophyseal factor in interpretation of endometrial changes, 129
—, AND MASON, KARL E., New concept of senile vaginitis, 125
SKEEL, A. J., Maternal welfare work in Ohio, 539
SKINNER, H. H., A baby weighing fifteen pounds two ounces at birth, 511
SMITH, P. E., (WITH WIESBADER, HANS, AND ENGLE, E. T.), Menstrual bleeding after corpus luteum excision, followed by estrin or progestin therapy, 1039
SOVAK, FRANCIS W., Tubal pregnancy in a case of bilateral tubal implantation, 344
STRAUSS, HYMAN, Carcinoma of cervix in prolapsed uteri, 1068
STRONGIN, HERMAN F., Endometriosis of umbilicus, 336

T

TAMIS, ABRAHAM B., Management of secondary amenorrhea of functional origin, 845
—, Modified instrument for biopsy of endometrium, 505
TAUSSIG, FRED J., Iliac lymphadenectomy plus radiation in borderline cancer of cervix, 777
TUCKER, BEATRICE E., Unruptured interstitial pregnancy, 352

V

VAN WAGENEN, G., (WITH MORSE, ARTHUR H.), Observations upon ovulation in primates, 823

W

WALKER, ALBERT T., Regional anesthesia in conduct of labor, 60
WATSON, B. P., President's address before American Gynecological Society, 547
WEINSTEIN, LOUIS, BOGIN, MAXWELL, HOWARD, JOSEPH H., AND FINKELSTONE, BENJAMIN B., A survey of vaginal flora at various ages, with special reference to Döderlein bacillus, 211

WIESBADER, HANS, ENGLE, E. T., AND SMITH, P. E., Menstrual bleeding after corpus luteum excision, followed by estrin or progestin therapy, 1039

WILSON, KARL M., AND ELDEN, C. A., Some points in treatment of endometrial hyperplasia by progesterone therapy, 194

—, (WITH ELDEN, C. A.), Progesterone treatment for dysmenorrhea, 91

WIMPFHEIMER, SEYMOUR, (WITH MAYER, MAX D., AND HARRIS, WILLIAM), Therapeutic abortion by means of x-ray, 945

WOLLNER, ANTHONY, A preliminary study of cyclic histologic changes of human cervical mucosa in intermenstrual period, 365

WOODS, E. B., Abdominal pregnancy at term with delivery of a normal living child, 155

Y

YOUNG, A. M., (WITH GARBER, M.), Early chorionepithelioma arising in hydatidiform mole, 321

YUI, ENMEI, (WITH NOVAK, EMIL), Relation of endometrial hyperplasia to adenocarcinoma of uterus, 674

Z

ZIEGLER, CHARLES EDWARD, A new all metal umbilical cord clamp, 884

ZIEVE, I., Medicolegal aspects of blood grouping, 1069

ZIMMERMAN, HARRY M., (WITH PETERS, JOHN P., AND LAVIETES, PAUL H.), Pyelitis in toxemias of pregnancy, 911

SUBJECT INDEX*

A

Abdominal aneurysm (Falls), 164
malignancy, relationship of acanthosis nigricans to (Masson and Montgomery), 717
pregnancy at term with delivery of normal living child (Wood), 155
versus vaginal route, total hysterectomy by, in benign uterine disease (Richardson), 641
wall, maternal, palpation of fetal heartbeat through (Griffin), 515
Ablatio placentae, fetal heart tones in, significance of (Richardson), 429
Abortion and labor, induction of, by means of estrin (Robinson, Datnow, and Jeffcoate), 904 (Abst.)
bacteriologic study of 500 consecutive, with treatment and results (Brown and Hunt), 804
habitual, progesterone in combating, use of (Kane), 110
spontaneous and induced (Taussig), 529 (Book review)
therapeutice, by means of x-ray (Mayer, Harris, and Wimpfheimer), 945
Abstracts, eclampsia and other toxemias of pregnancy, 355
miscellaneous, 75, 96, 128, 143, 193, 200, 226, 257, 271, 279, 299, 316, 327, 353, 374, 428, 456, 474, 485, 494, 497, 510, 517, 527, 592, 611, 640, 673, 698, 784, 803, 858, 868, 872, 879, 886, 900, 975, 1000, 1054, 1057, 1075
myoma, 176
pathology of labor, 1076
physiology of labor, 904
Acanthosis nigricans, relationship of, to abdominal malignancy (Masson and Montgomery), 717
Acid-base balance of blood during normal pregnancy and puerperium (Nice, Mull, Muntwyler, and Myers), 375
Actinophytosis, genital staphylococcic in human beings (Berger and Vezina), 527 (Abst.)
Adenocarcinoma of uterus, relation of endometrial hyperplasia to (Novak and Yui), 674
Adhesions, abnormal, decidua polyposa with (Lebovitz), 160
Afterpains, progestin on, effects of (Lubin and Clarke), 134
Air embolism, fatal, on eighth day of puerperium (Quigley and Gáspár), 1054
Alcohol, solution of, intrathecal injection of, for intractable pain in pelvis and lower extremities (Meynier), 265
Aldarsone, pentavalent arsenical, investigation of a new, in treatment of trichomonas vaginitis (Bland and Rakoff), 835
Alkaloids, ergot, in puerperium, notes on use of recently introduced (Der-Brucke), 474
Amenorrhea of functional origin, management of secondary (Tamis), 845
American Board of Internal Medicine (Inc.), 909 (Item)
of Obstetrics and Gynecology, 181, 364, 544, 726, 909, 1085 (Items)
College of Surgeons, 544 (Item)
Gynecological Society, 182 (Item)
papers of, 547-726, 727-835
president's address (Watson), 547
Amniotic fluid, pH determinations of vaginal secretions and of (Bock), 905 (Abst.)
Analgesia, obstetric, dial urethane for, further observations with (Brown), 1017
review of 226 cases of (Damon), 1009
paraldehyde, in labor, use of (Moore and McCurdy), 97
Analgesics in labor (Stacey), 1079 (Abst.)
Anemia in pregnancy (Adair, Dieckmann, and Grant), 560
Anencephalus, diagnosis of, before delivery (Ahltorp), 1078 (Abst.)
newly discovered symptom for (Katsu), 1078 (Abst.)
sign of orientation in (Porcardo), 1078 (Abst.)
Anesthesia in obstetrics (Bittmann), 868 (Abst.)
regional, in conduct of labor (Walker), 60
tribromethanol (avertin), sequelae in children born after (Wahl), 1081 (Abst.)
Aneurysm, abdominal (Falls), 164
Antenatal and postnatal care (Browne), 528 (Book review)
Antithyroid substances, effect of, on secretion of milk (Schumacher), 879 (Abst.)
Apiol, poisoning with (Patoir, André, and Patoir), 428 (Abst.)
Appendicitis, acute, complicating late pregnancy (Hawkes), 501
Asphyxia (Leff), 286
fetal (Furtado), 906 (Abst.)
Atonin in clinic (Kawakami), 1077 (Abst.)

B

Baby weighing 15 pounds 2 ounces at birth (Skinner), 511
Bacillus, Döderlein, survey of vaginal flora at various ages with special reference to (Weinstein Bogin, Howard, and Finkelstone), 211
Banti's disease and pregnancy (McKenzie), 486
Barbital, nonanesthetic doses of, placental transmission of (Dille), 328
Barbiturates XIV (Dille), 328
Basal metabolic rate and urine pH, calcium and phosphatase studies in cancer of female sex with consideration of (Bowman and Pitts), 957
Benign and malignant polyps of cervix uteri (Geiger), 465
hemorrhage, radium irradiation for, (Norris and Behney), 661
uterine disease, total hysterectomy by abdominal versus vaginal route in (Richardson), 641
Bicornate uterus with ovarian, omental and pelvic endometriosis (Frosch), 490
Bilateral tubal implantation, tubal pregnancy in a case of (Sovak), 344
Bio-assay of granulosa cell tumor (Gospe), 495
Biopsy of endometrium, a modified instrument for (Tamis), 505
Birth, baby weighing 15 pounds 2 ounces at (Skinner), 511
of malformed children, reproductive efficiency before and after (Murphy), 374 (Abst.)

*July, pp. 1-182; August, pp. 183-364; September, pp. 365-546; October, pp. 547-726; November, pp 727-910; December, pp. 911-1102.

Bladder injuries, recognition and prevention of (Rosenfeld), 333
Bleeding, menstrual, after corpus luteum excision, followed by estrin or progestin therapy (Wiesbader, Engle, and Smith), 1039
Blood, acid-base balance of, during normal pregnancy and puerperium (Nice, Mull, Muntwyler, and Myers), 375
and plasma volume changes in eclampsia (Dieckmann), 927
during normal pregnancy and puerperium, nonprotein, urea, and rest nitrogen of (Cadden and Faris), 421
estrogenic substances in, of women (Fluhmann), 612
grouping, medicolegal aspects of (Zieve), 1069
influence of ovarian, mammary, placental, pituitary and suprarenal extracts upon hematopoietic organs and (Passalacqua), 803 (Abst.)
lipids in preeclampsia (Boyd), 937
loss and postpartum infection, cell volume following delivery and its relation to (Pastore), 859
of eclamptics, follicle hormone content in (Bickenbach and Fromme), 360 (Abst.)
of fertile women, presence of vitamin E in (Roberto), 271 (Abst.)
organic iodides in (Eufinger and Schulte), 143 (Abst.)
Book reviews, 528
Books received, 546, 910
Brenner tumors (Fauvet), 698 (Abst.)
of ovary (Gaines), 457
Brooklyn Gynecological Society, transactions of, 175, 1074

C

Calcium and phosphatase studies in cancer of female sex with consideration of basal metabolic rate and urine pH (Bowman and Pitts), 957
Cancer of cervix, iliac lymphadenectomy plus radiation in borderline (Taussig), 777
of mammary glands induced in male mice receiving estrogenic hormone (Gardner, Smith, Allen, and Strong), 1057 (Abst.)
primary, of fallopian tubes (Robinson), 84
Carcinogenic and estrogenic substances (Frank), 168 (Editorial)
Carcinoma, granulosa cell (Kelley and Gnassi), 340
metastatic, to ovary from vocal cord (Kirshbaum), 165
of body of uterus (Norris and Dunne), 982
of cervix in prolapsed uteri (Strauss), 1068
ovarian, clinical review of 110 cases of (Lynch), 753
Carotin in ovarian tumors (Chi, Li, and Yang), 698 (Abst.)
Cell volume following delivery and its relation to blood loss and postpartum infection, (Pastore), 859
Central Association of Obstetricians and Gynecologists, 544, 1085 (Items)
Cerebral pressure in eclampsia (Spoljanskij and Juzelevskij), 361 (Abst.)
Cervical and classical cesarean section operations, critical study of low (Falls), 989
cesarean section, low or (Phaneuf), 240
dilatation in dry labor and after deliberate early rupture of membranes (King), 201
Cervical—Cont'd
injuries, immediate repair of (Danforth), 710
mucosa, cyclic histologic changes of human, in intermenstrual period, preliminary study of (Wollner), 365
Cervicitis and endocervicitis in relation to gynecologic symptomatology (Holloway), 304
Cervix, cancer of, iliac lymphadenectomy plus radiation in borderline (Taussig), 777
carcinoma of, in prolapsed uteri (Strauss), 1068
of rhesus monkey, similarity in, and woman (Dickinson and Hartman), 813
uteri, benign and malignant polyps of (Geiger), 465
Cesarean section, analytical study of 347 consecutive (Feiner), 1001
in dystocia (Hanna), 452
low or cervical (Phaneuf), 240
operations, low cervical and classical, a critical study of (Falls), 989
Chicago Gynecological Society, transactions of, 175, 354, 538, 1075
Child psychiatry (Kanner), 534 (Book review)
Children, congenitally malformed, parental age difference and conception of (Murphy), 873
Chorionepithelioma complicated by septicemia (Cron), 348
early, arising in hydatidiform mole (Garber and Young), 321
Circumcision, infant, new and efficient method of (Calhoun), 159
Clamp, umbilical cord, new all metal (Ziegler), 884
Cliniques Obstetricales (Devraigne), 532 (Book review)
Clitoris, epithelioma of (Monen), 882
Collected writings (Hess), 536 (Book review)
Colpocleisis, Le Fort (Adair and DaSef), 218
Conception of congenitally malformed children, parental age difference and (Murphy), 873
voluntary, problem of (Carvalho Azevedo), 886 (Abst.)
Congenital malformations, heredity as cause of (Macklin), 258
pneumonia (Leff), 286
Contraception, indications for, from point of view of obstetrician and gynecologist (Montgomery), 470
Cord clamp, umbilical, new all metal (Ziegler), 884
umbilical, clamp, an improved (Kahn), 513
Corpus luteum excision, menstrual bleeding after, followed by estrin or progestin therapy (Wiesbader, Engle, and Smith), 1039
symptomatic rupture of graafian follicle or (Kretschmar and Arnell), 308
Correspondence, 364, 901, 903, 1086
Cyst, dermoid, diagnosed by x-ray (Heffernan), 507

D

Decidua polyposa with abnormal adhesions (Lebovitz), 160
Deliveries among multiparas (Wachenfeldt), 1079 (Abst.)
management of planned, active versus conservative (Hirst), 1080 (Abst.)
operative and spontaneous, observations on results of (Healy), 1080 (Abst.)

Delivery at Bronx Hospital, critical analysis of first 3,060 cases (Kushner), 874
cell volume following, and its relation to blood loss and postpartum infection (Pastore), 859
of full-term living child 6½ months later (McKenzie), 486
of normal living child, abdominal pregnancy at term with (Woods), 155
pregnancy and, at term following reconstruction of oviducts (Holden), 346
Delmas procedure, reflections on (Robiolis), 1080 (Abst.)
Dermoid cyst diagnosed by x-ray (Heffernan), 507
Diabetes complicating pregnancy (Ill), 157
Diagnosis, differential, an index of (French), 534 (Book review)
Dial urethane for obstetric analgesia, further observations with (Brown), 1017
Differential diagnosis, an index of (French), 534 (Book review)
Dilatation, cervical, in dry labor and after deliberate early rupture of membranes (King), 201
Döderlein bacillus, survey of vaginal flora at various ages with special reference to (Weinstein, Bogin, Howard, and Finkelstone), 211
Dührssen's incisions (Abrams), 312
Dysmenorrhea, progesterone treatment for (Elden and Wilson), 91
Dystocia, cesarean section in (Hanna), 452

E

Eclampsia and other toxemias of pregnancy, 355 (Abst.)
at University of Virginia Hospital (Brame), 362 (Abst.)
atmospheric changes on incidence of (Eufinger and Weikersheimer), 362 (Abst.)
blood and plasma volume changes in (Dieckmann), 927
cerebral pressure in (Spoljanskij and Juzelevskij), 361 (Abst.)
clinical aspects of (Fauvet), 363 (Abst.)
detection of, what significance has galvanic irritability in (Spiegler), 361 (Abst.)
experimental production of, by means of guanidine intoxication (Wodon), 360 (Abst.)
hypophyseal disorder (Fauvet), 360 (Abst.)
in Denmark (Hauch and Lehmann), 363 (Abst.)
in Hong-Kong (Tottenham), 362 (Abst.)
renal function in pregnancy toxicosis and (de Snoo), 358 (Abst.)
statistical survey of (Kimbrough and Shirey), 415
Ectopic pregnancy, unruptured (Scheffler), 1061
Edema neonatorum, pulmonary, and pulmonary congestion (Leff), 286
Editorial comment, 899
carcinogenic and estrogenic substances (Frank), 168
Embolism, air, fatal, on eighth day of puerperium (Quigley and Gáspár), 1054
Emphysematous vaginitis (Robberson and Owen), 1062
Endocervicitis and cervicitis in relation to gynecologic symptomatology (Holloway), 304
ionization method for treatment of (Forman), 503
Endocrine system, relation of, to tumor growth (Emge and Murphy), 593
Endocrinology, gynecologic, and organotherapy, brief epitome of (Novak), 887
Endometrial changes, evaluation of hypophyseal factor in interpretation of (Simpson, Ellison, Phelps, and Burch), 129
hyperplasia, relation of, to adenocarcinoma of uterus (Novak and Yui), 674
treatment of, by progesterone therapy (Wilson and Elden), 194
Endometriomas, histogenesis of (Mankin), 640 (Abst.)
Endometriosis during final month of pregnancy (Olson and Hansmann), 148
of umbilicus (Strongin), 336
ovarian, omental and pelvic, bicornate uterus with (Frosch), 490
Endometrium, myometrium, symptoms, and associated pathology, study of fibromyomas of uterus with respect to (Kanter, Klawans, and Bauer), 183
Epithelioma of clitoris (Monen), 882
Ergot alkaloids in puerperium, notes on use of recently introduced (Der-Brucke), 474
in puerperium (Beecham), 330
Esophageal stenosis of newborn, tracheoesophageal fistula and complete (Kassebohm and Schreiber), 509
Estrin and prolan in pregnancy (Smith and Smith), 361 (Abst.)
or progestin therapy, menstrual bleeding after corpus luteum excision followed by (Wiesbader, Engle, and Smith), 1039
Estrogenic and carcinogenic substances (Frank), 168 (Editorial)
substances in blood of women (Fluhmann), 612
Excision, corpus luteum, menstrual bleeding after, followed by estrin or progestin therapy (Wiesbader, Engle, and Smith), 1039
Extraperitoneal pelvic conditions in women (Brady), 577

F

Fallopian tubes, primary cancer of (Robinson), 84
research on ligation of (Ronfini), 975
Femoral neck, fracture of, following irradiation (Dalby, Jacox, and Miller), 50
Fetal asphyxia due to artificial rupture of membranes (Furtado), 906 (Abst.)
death, antepartum (Horner), 67
intrauterine, biologic test for diagnosis of (Rezek), 976
heart dilatation (Leff), 286
tones in ablatio placentae (Richardson), 429
heartbeat, palpation of, through maternal abdominal wall (Griffin), 515
Fetus removed from mother's thigh following rupture of uterus (Coutts), 1083 (Abst.)
Fetuses, retained dead, dissolution and absorption of, an experimental study of (Crosman), 964
Fibroids, retroperitoneal cystic, forty-nine-pound (Lindeman), 151
uterine, and sterility (Randazzo), 177 (Abst.)
possible cause of (Witherspoon), 176 (Abst.)
Fibromas, uterine, after menopause (Goldenberg-Bayler), 180 (Abst.)
Fibromyomas of uterus, study of, with respect to endometrium, myometrium, symptoms, and associated pathology (Kanter, Klawans, and Bauer), 183

Fibromyxoma of ovary (Pastiels), 180 (Abst.)
Fistula, tracheoesphageal, and complete esophageal stenosis of newborn (Kassebohm and Schreiber), 509
vesicovaginal, pad for keeping patient dry in bed in cases of (Murphy), 516
Follicle hormone content in blood of eclamptics (Bickenbach and Fromme), 360 (Abst.)
Follicular rupture, peritoneal hemorrhage resulting from (Convert), 456 (Abst.)
Folliculin and pituitary substance, induction of labor by use of (Voron and Contamin), 905 (Abst.)
Forceps delivery, contracted midpelvis, transversely, with particular reference to (Hanson), 385
Fracture of femoral neck following irradiation (Dalby, Jacox, and Miller), 50
Friedman test, quantitative, in hydatidiform mole and vomiting of pregnancy (Schoeneck), 104
Functional origin, amenorrhea of, management of secondary (Tamis), 845

G

Galactorrhea, pathogenesis (Kraus), 900 (Abst.)
Galvanic irritability in detection of eclampsia (Spiegler), 361 (Abst.)
Genital prolapse following vaginal panhysterectomy, an operation to correct (Brady), 295
staphylococcic antinophytosis in human beings (Berger and Vezina), 527 (Abst.)
Gonadotropic substances, study of action of, precipitated by tannic acid (Nau), 272
Graafian follicle, symptomatic rupture of, or corpus luteum (Kretzschmar and Arnell), 308
Granulosa cell carcinoma (Kelley and Gnassi), 340
tumor bio-assay of (Gospe), 495
of ovary (Wolfe and Kaminester), 485 (Abst.)
Guanidine intoxication, experimental production of eclampsia by means of (Wodon), 360 (Abst.)
Gynatresia, traumatic (Kassebohm and Schreiber), 869
Gynecologic conditions, test for pregnancy and certain, new, rapid and economical (Gilfillen and Gregg), 498
endocrinology and organotherapy, brief epitome of (Novak), 887
findings in children, unusual (Clauberg), 611 (Abst.)
symptomatology, cervicitis and endocervicitis in relation to (Holloway), 304
Gynecologist and obstetrician, indications for contraception from point of view of (Montgomery), 470
retroperitoneal pelvic tumors encountered by (Miller), 652
Gynecology, abdominal malignancy, relationship of acanthosis nigricans to (Masson and Montgomery), 717
abortion, bacteriologic study of 500 consecutive, with treatment and results (Brown and Hunt), 804
spontaneous and induced (Taussig), 529 (Book review)
therapeutic, by means of x-ray (Mayer, Harris, and Wimpfheimer), 945
Gynecology—Cont'd
adenocarcinoma of uterus, relation of endometrial hyperplasia to (Novak and Yui), 674
amenorrhea of functional origin, management of secondary (Tamis), 845
and obstetrics, practical problems of, department of, 518, 887, 1069
aneurysm, abdominal (Falls), 164
Banti's disease and pregnancy (McKenzie), 486
cancer, calcium and phosphatase studies in, of female sex with consideration of basal metabolic rate and urine pH (Bowman and Pitts), 957
of cervix, iliac lymphadenectomy plus radiation in borderline (Taussig), 777
primary, of fallopian tubes (Robinson), 84
carcinoma, granulosa cell (Kelley and Gnassi), 340
metastatic, to ovary from vocal cord (Kirshbaum), 165
of body of uterus (Norris and Dunne), 982
of cervix in prolapsed uteri (Strauss), 1068
ovarian, clinical review of 110 cases of (Lynch), 753
cervicitis and endocervicitis in relation to gynecologic symptomatology (Holloway), 304
chorionepithelioma complicated by septicemia (Cron), 348
early, arising in hydatidiform mole (Garber and Young), 321
colpocleisis, Le Fort (Adair and DaSef), 218
dermoid cyst diagnosed by x-ray (Heffernan), 507
dysmenorrhea, progesterone treatment for (Elden and Wilson), 91
dystocia, cesarean section in (Hanna), 452
endocervicitis and cervicitis in relation to gynecologic symptomatology (Holloway), 304
ionization method for treatment of (Forman), 503
endometrial hyperplasia, treatment of, by progesterone therapy, some points in (Wilson and Elden), 194
endometriomas, histogenesis of (Mankin), 640 (Abst.)
endometriosis during final month of pregnancy (Olson and Hansmann), 148
of umbilicus (Strongin), 336
ovarian, omental and pelvic, bicornate uterus with (Frosch), 490
epithelioma of clitoris (Monen), 882
fibroid, retroperitoneal cystic, forty-nine-pound (Lindeman), 151
uterine (Witherspoon), 176 (Abst.)
fibromyomas of uterus with respect to endometrium, myometrium, symptoms, and associated pathology, study of (Kanter, Klawans, and Bauer), 183
galactorrhea, pathogenesis of (Kraus), 900 (Abst.)
gynatresia, traumatic (Kassebohm and Schreiber), 869
hematosalpinx, twisted, complicating pregnancy (Savage), 1043
hemorrhage, benign, radium irradiation for (Norris and Behney), 661
hydatidiform mole, early chorionepithelioma arising in (Garber and Young), 321
hysterectomy, subtotal and total (Read and Bell), 179 (Abst.)
total, by abdominal versus vaginal route in benign uterine disease (Richardson), 641

Hysterectomy, Total—Cont'd
versus subtotal (Goodall), 628
hysterosalpingography, uteroovarian venous system, escape of lipiodol into (Lin and Tsou), 497 (Abst.)
hysteroscopy (Hamant and Durand), 784 (Abst.)
interposition of uterus, secondary sequelae after (Dannreuther), 699
intractable pain in pelvis and lower extremities, intrathecal injection of solution of alcohol for (Meynier), 265
ionization method for treatment of endocervicitis (Forman), 503
irradiation, fracture of femoral neck following (Dalby, Jacox, and Miller), 50
radium, for benign hemorrhage (Norris and Behney), 661
leucorrhea (Sharman), 517 (Abst.)
lymphadenectomy, iliac, plus radiation in borderline cancer of cervix (Taussig), 777
menorrhagia, radium for, full-term normal pregnancy following use of 1000 mg. hr. of (Schmitz), 351
menstrual bleeding after corpus luteum excision, followed by estrin or progestin therapy (Wiesbader, Engle, and Smith), 1039
myoma, 176 (Abst.)
myomectomies, why necessary to perform (Hamant), 179 (Abst.)
myxofibrosarcoma of ovary (Hixson), 162
ovaries, removal of both, pregnancy after (Scott), 1067
panhysterectomy, vaginal, an operation to correct genital prolapse following (Brady), 295
pelvic conditions, extraperitoneal, in women, further study of (Brady), 577
inlet as determined by direct measurement, size and shape of (Schumann), 832
polyneuritis of pregnancy (Bingham), 144
polyps, benign and malignant, of cervix uteri (Geiger), 465
prolapse, genital, operation to correct, following vaginal panhysterectomy (Brady), 295
prolapsed uteri, carcinoma of cervix in (Strauss), 1068
puerperal inversion of uterus, contribution to etiology and treatment of (Gordon), 399
pyelitis in toxemias of pregnancy (Peters, Lavietes, and Zimmerman), 911
radiation in borderline cancer of cervix, iliac lymphadenectomy (Taussig), 777
rupture of uterus, treatment of (Bazán and Imaz), 1083 (Abst.)
septicemia, chorionepithelioma complicated by (Cron), 348
splenectomy (McKenzie), 486
sterility, some aspects of, consideration of (Moench), 406
trichomonas vaginalis in vitro (Shelanski), 510 (Abst.)
vaginitis (Huffman), 193 (Abst.)
toxemias of pregnancy, pyelitis in (Peters, Lavietes, and Zimmerman), 911
tumor, Brenner, genesis of (Fauvet), 698 (Abst.)
of ovary (Gaines), 457
granulosa cell, bio-assay of (Gospe), 495
of ovary (Bernstein), 1023
ovarian, operations for, study of 1,101 cases of (Bernstein), 1023
Gynecology, Tumor—Cont'd
retroperitoneal pelvic, encountered by gynecologist (Miller), 652
vaginal discharge, human, hydrogen ion concentration of (Oberst and Plass), 22
vaginitis, emphysematous (Robberson and Owen), 1062
histopathology and treatment of (Adair and Hesseltine), 1
senile, new concept of (Simpson and Mason), 125
trichomonas, aldarsone in treatment of, investigation of new pentavalent arsenical (Bland and Rakoff), 835

H

Habitual abortion, progesterone in combating, use of (Kane), 110
Head, movable, in primiparas (Farkas), 909 (Abst.)
Headache, persistent, during lactation (Beilby), 858 (Abst.)
Heart dilatation, fetal (Leff), 286
tones, fetal, in ablatio placentae, significance of (Richardson), 429
Heartbeat, fetal, palpation of, through maternal abdominal wall (Griffin), 515
Hematosalpinx, twisted, complicating pregnancy (Savage), 1043
Hemorrhage, benign, radium irradiation for (Norris and Behney), 661
peritoneal, resulting from follicular rupture (Convert), 456 (Abst.)
Heredity as cause of congenital malformations (Macklin), 258
Holland Gynaecological Society, 545 (Item)
Hormone, estrogenic cancer of mammary glands induced in male mice receiving (Gardner, Smith, Allen, and Strong), 1057 (Abst.)
pituitary growth, effect of hypophysectomy and, on transplantable rat sarcoma (Emge and Murphy), 593
Hydatidiform mole, early chorionepithelioma arising in (Garber and Young), 321
Friedman test in, quantitative, and vomiting of pregnancy, (Schoeneck), 104
Hydrogen ion concentration of human vaginal discharge (Oberst and Plass), 22
Hyperplasia, endometrial, relation of, to adenocarcinoma of uterus (Novak and Yui), 674
treatment of, by progesterone therapy, some points in (Wilson and Elden), 194
Hypophyseal factor, evaluation of, in interpretation of endometrial changes (Simpson, Ellison, Pheips, and Burch), 129
Hypophysectomy, effect of, and pituitary growth hormone on transplantable rat sarcoma (Emge and Murphy), 593
Hysterectomy, subtotal and total (Read and Bell), 179 (Abst.)
total, by abdominal versus vaginal route in benign uterine disease (Richardson), 641
versus subtotal (Goodall), 628
Hysterosalpingography, uteroovarian venous system in, escape of lipiodol into (Lin and Tsou), 497 (Abst.)
Hysteroscopy (Hamant and Durand), 784 (Abst.)

I

Incisions, Dührssen's (Abrams), 312
Induction of abortion and labor by means of estrin, (Robinson, Datnow, and Jeffcoate), 904 (Abst.)
Infant circumcision, new and efficient method of (Calhoun), 159
Infection, postpartum, cell volume following delivery and its relation to blood loss and (Pastore), 859
Injection, intrathecal, of solution of alcohol for intractable pain in pelvis and lower extremities (Meynier), 265
Iliac lymphadenectomy plus radiation in borderline cancer of cervix (Taussig), 777
Instrument for biopsy of endometrium, modified (Tamis), 505
Intermenstrual period, cervical mucosa in, preliminary study of cyclic histologic changes of human (Wollner), 365
Interposition of uterus, secondary sequelae after (Dannreuther), 699
Interstitial pregnancy (Kanter), 167 (Reeves), 880
unruptured (Tucker), 352
Intestinal obstruction, acute and false labor pains, full-term pregnancy complicated by (Casagrande), 1058
Intrathecal injection of solution of alcohol for intractable pain in pelvis and lower extremities (Meynier), 265
Intrauterine fetal death, biologic test for diagnosis of (Rezek), 976
Inversion, puerperal, of uterus, contribution to etiology and treatment of (Gordon), 399
Ionization method for treatment of endocervicitis (Forman), 503
Irradiation, fracture of femoral neck following (Dalby, Jacox, and Miller), 50
radium, for benign hemorrhage (Norris and Behney), 661
Items, American Board of Internal Medicine (Inc.), 909
of Obstetrics and Gynecology, 181, 364, 544, 726, 909, 1085
College of Surgeons, 544
Gynecological Society, 182
Central Association of Obstetricians and Gynecologists, 544, 1085
Holland Gynecological Society, 545
Second All India Obstetric and Gynaecological Congress, 545

K

Kidney function tests in relation to toxemias of pregnancy (Cadden and McLane), 359 (Abst.)
Krukenberg tumor (Celentano), 257 (Abst.)

L

La Sinfisiotomia En España (Abellan), 537 (Book review)
Labor, analgesics in (Stacey), 1079 (Abst.)
anesthesia in, regional, conduct of (Walker), 60
and abortion, induction of, by means of estrin (Robinson, Datnow, and Jeffcoate), 904 (Abst.)
causes of onset of (Knaus), 904 (Abst.)
cervical dilatation in dry, and after deliberate early rupture of membranes (King), 201
induction of (Higgins), 906 (Abst.)
by rupture of membranes (Blair), 906 (Abst.)
Labor, Induction of—Cont'd
by use of folliculin and pituitary substance (Voron and Contamin), 905 (Abst.)
means of inducing, premature rupture of membranes as (Plass and Seibert), 785
methods of terminating (Laubscher), 1078 (Abst.)
obstructed (Riley), 1078 (Abst.)
pains, false, and acute intestinal obstruction, full-term pregnancy complicated by (Casagrande), 1058
paraldehyde analgesia in, use of (Moore and McCurdy), 97
pathology of, 1076 (Absts.)
physiology of, 904 (Absts.)
posterior pituitary during, small doses of (Gavaudan), 128 (Abst.)
quinine in normal, use of (Mitchell and Bradbrooke), 907 (Abst.)
rectal examinations during (Scicloun-off), 908 (Abst.)
rupture of membranes, spontaneous, before onset of (Ballard), 445
third stage of, use of pituitrin intravenously in (Pastore), 280
uterine contractions during (Defendi), 908 (Abst.)
soft parts in, rôle of lower (Caldwell, Moloy, and D'Esopo), 727
vaginal and rectal examinations during, effects of (Gegerson, Gegerson, and Penner), 118
Lactation, headache during, persistent (Beilby), 858 (Abst.)
Le Fort colpocleisis (Adair and DaSef), 218
Lehrbuch der Geburtshilfe (Jaschke), 532 (Book review)
Leucorrhea (Sharman), 517 (Abst.)
Lipids, blood, in preeclampsia (Boyd), 937
Lithopedion (Osheroff), 1064
Liver, antitoxic function of, use of santonin in (Picardi), 360 (Abst.)
Lymphadenectomy, iliac, plus radiation in borderline cancer of cervix, (Taussig), 777

M

Malformations, congenital, heredity as cause of (Macklin), 258
Mammary glands, cancer of, induced in male mice receiving estrogenic hormone (Gardner, Smith, Allen, and Strong), 1057 (Abst.)
Mandelic acid in treatment of urinary infections (Lyon), 479 (Abst.)
Maternal abdominal wall, palpation of fetal heartbeat through (Griffin), 515
mortality study for Akron, Ohio (Palmer), 896
welfare, department of, 170, 539, 896
North Dakota Committee on (Moore), 541
work in Ohio (Skeel), 539
Measurement, pelvic inlet as determined by direct, size and shape of (Schumann), 832
Medical papers, 536 (Book review)
Medicine, industrial, obstetrics in (Cheatham), 542
Medicolegal aspects of blood grouping (Zieve), 1069
Membranes, premature rupture of, as means of inducing labor (Plass and Seibert), 785
rupture of, cervical dilatation in dry labor and after deliberate early (King), 201
premature etiology of (Coatz), 905 (Abst.)
spontaneous rupture of, before onset of labor (Ballard), 445
Menopause, uterine fibromas after (Goldenberg-Bayler), 180 (Abst.)

Menorrhagia, radium for, full-term normal pregnancy following use of 1000 mg. hr. of (Schmitz), 351
Menstrual bleeding after corpus luteum excision, followed by estrin or progestin therapy (Wiesbader, Engle, and Smith), 1039
function, disorders of (Lesnoi), 1075 (Abst.)
Metastatic carcinoma to ovary from vocal cord (Kirshbaum), 165
Midpelvis, transversely contracted, with particular reference to forceps delivery (Hanson), 385
Milk, secretion of, effect of antithyroid substances on (Schumacher), 879 (Abst.)
Mole, hydatidiform, early chorionepithelioma arising in (Garber and Young), 321
Friedman test in, quantitative, and vomiting of pregnancy (Schoeneck), 104
Mortality, maternal, study for Akron, Ohio (Palmer), 896
Mucosa, cervical, human, in intermenstrual period, preliminary study of cyclic histologic changes of (Wollner), 365
Myiasis of vulva (Perez and Arenas), 673 (Abst.)
Myoma, 176 (Abst.)
capsule, spontaneous rupture of (Ahltorp), 178 (Abst.)
circulatory apparatus and (V. Jaschke), 177 (Abst.)
radiation treatment of, operation of (Guthmann and Atzert), 179 (Abst.)
uterine, in young women (Clason), 176 (Abst.)
Myomectomies (Hamant), 179 (Abst.)
Myxofibrosarcoma of ovary (Hixson), 162

N

Narcosis à la reine and preeclampsia (Winckler), 279 (Abst.)
Nephritis, acute, and pregnancy (Dieckmann), 227
and toxemias of pregnancy (Courtois and Lecoq), 356 (Abst.)
New York Obstetrical Society, transactions of, 174, 354, 538, 1075
Newborn, esophageal stenosis of, tracheoesophageal fistula and complete (Kassebohm and Schreiber), 509
Nitrogen, nonprotein, urea, and rest, of blood during normal pregnancy and puerperium (Cadden and Faris), 421

O

Obstetric, review of 226 cases of (Damon), 1099
disproportion, treatment of (Brown), 1076 (Abst.)
patients, urine of, microscopic and bacteriologic study of (Harris and Herrmann), 300
shock (Rucker), 1081 (Abst.)
term, proposed (Cornell), 364
Obstetrical Society of Philadelphia, transactions of, 538
Obstetrician and gynecologist, indications for contraception from point of view of (Montgomery), 470
Obstetrics, 528 (Book review)
ablatio placentae, fetal heart tones in, significance of (Richardson), 429
abortion, spontaneous and incomplete (Taussig), 529 (Book review)
abortions, bacteriologic study of 500 consecutive, with treatment and results (Brown and Hunt), 804
and gynecology, practical problems, department of, 518, 887, 1069
Obstetrics—Cont'd
anesthesia in, justification of special (Bittmann), 868 (Abst.)
cervical injuries, immediate repair of (Danforth), 710
cesarean sections, analytical study of 347 consecutive (Feiner), 1001
in dystocia (Hanna), 452
low cervical and classical, critical study of (Falls), 989
low or cervical (Phaneuf), 240
deliveries among multiparas (Wachenfeldt), 1079 (Abst.)
management of planned (Hirst), 1080 (Abst.)
operative and spontaneous, observations on results of (Healy), 1080 (Abst.)
delivery at Bronx Hospital, critical analysis of first 3,060 cases (Kushner), 874
at term, pregnancy and, following reconstruction of oviducts (Holden), 346
cell volume following, and its relation to blood loss and postpartum infection (Pastore), 859
eclampsia, blood and plasma volume changes in (Dieckmann), 927
statistical survey of (Kimbrough and Shirey), 415
forceps delivery, transversely contracted midpelvis with particular reference to (Hanson), 385
in industrial medicine (Cheatham), 542
intrauterine fetal death, biologic test for diagnosis of (Rezek), 976
labor, analgesics in (Stacey), 1079 (Abst.)
anesthesia in, regional, conduct of (Walker), 60
means of inducing, premature rupture of membranes as (Plass and Seibert), 785
pains, false, full-term pregnancy complicated by acute intestinal obstruction and, (Casagrande), 1058
paraldehyde analgesia in, use of (Moore and McCurdy), 97
rupture of membranes, spontaneous, before onset of (Ballard), 445
third stage of, use of pituitrin intravenously in (Pastore), 280
uterine soft parts in, rôle of lower (Caldwell, Moloy, and D'Esopo), 727
maternal mortality study for Akron, Ohio (Palmer), 896
welfare, North Dakota Committee on (Moore), 541
work in Ohio (Skeel), 539
occipitoposterior positions, mechanism of rotation in (Mann), 1077 (Abst.)
paraldehyde analgesia in labor, use of (Moore and McCurdy), 97
pelvicephalography (Ball), 249
placenta, premature separation of (Rudolph), 479
previa, treatment of (Davis), 518
study of 308 cases of (Irving), 36
treatment of, results of (Ronsheim), 139
preeclampsia, blood lipids in (Boyd), 937
pregnancy, abdominal, at term with delivery of normal living child (Woods), 155
after removal of both ovaries (Scott), 1067
and acute nephritis (Dieckmann), 227
and delivery at term following reconstruction of oviducts (Holden), 346
and puerperium, blood during normal, acid-base balance of (Nice, Mull, Muntwyler, and Myers), 375

Obstetrics, Pregnancy—Cont'd
anemia in (Adair, Dieckmann, and Grant), 560
Banti's disease and (McKenzie), 486
diabetes complicating (Ill), 157
ectopic, unruptured, two cases of (Scheffler), 1061
full-term, complicated by acute intestinal obstruction and false labor pains (Casagrande), 1058
normal, following use of 1000 mg. hr. of radium for menorrhagia (Schmitz), 351
hematosalpinx complicating, twisted (Savage), 1043
interstitial (Kanter), 167; (Reeves), 880
unruptured (Tucker), 352
polyneuritis of (Bingham), 144
preeclampsia, blood lipids in (Boyd), 937
test for, new, rapid and economical, and certain gynecologic conditions (Gilfillen and Gregg), 498
pyelitis in (Peters, Lavietes, and Zimmerman), 911
triple, diagnosed by means of x-ray (Ballard), 317
tubal, in case of bilateral tubal implantation (Sovak), 344
tuboovarian (Kennedy), 1050
vitamins A and D concentrates during, intramuscular injection of (Finkelstone, Howard, and Paris), 113
vomiting of, quantitative Friedman test in hydatidiform mole and (Schoeneck), 104
progestin, effects of, on afterpains (Lubin and Clarke), 134
puerperal inversion of uterus, contribution to etiology and treatment of (Gordon), 399
morbidity, factors affecting incidence of (Gegerson, Gegerson, and Penner), 118
puerperium, ergot alkaloids in, notes on use of recently introduced (DerBrucke), 474
ergot in (Beecham), 330
roentgenography, pelvimetric, further improvement in (Jacobs), 76
rupture of membranes before onset of labor, spontaneous (Ballard), 445
cervical dilatation in dry labor and after deliberate early (King), 201
premature, as means of inducing labor (Plass and Seibert), 785
textbook of (Irving), 530 (Book review)
woman, (Ploss, Bartels, and Bartels), 533 (Book review)
Occipitoposterior positions, mechanism of rotation in (Mann), 1077 (Abst.)
Omental, ovarian, and pelvic endometriosis, bicornate uterus with (Frosch), 490
Operation, cesarean section, low or cervical (Phaneuf), 240
parametrial fixation, motion picture of anatomy and technic of (Frank), 174
Organotherapy and gynecologic endocrinology, brief epitome of (Novak), 887
Ovarian carcinoma, clinical review of 110 cases of (Lynch), 753
endometriosis, omental and pelvic, bicornate uterus with (Frosch), 490
tumor, carotin in (Chi, Li, and Yang), 698 (Abst.)
operations for, study of 1,101 cases of (Bernstein), 1023
Ovaries, removal of both, pregnancy after (Scott), 1067
sarcoma of, bilateral (Maggi), 257 (Abst.)
undescended (Walker), 200 (Abst.)
Ovary, Brenner tumors of (Gaines), 457
fibromyxoma of (Pastiels), 180 (Abst.)
granulosa cell tumor of (Wolfe and Kaminester), 485 (Abst.)
metastatic carcinoma to, from vocal cord (Kirshbaum), 165
myxofibrosarcoma of (Hixson), 162
tumors of (Bernstein), 1023
Oviducts, reconstruction of, pregnancy and delivery at term following (Holden), 346
Ovulation in primates, observations upon (Morse and van Wagenen), 823
Oxytocic drugs in postpartum period (Moir), 1082 (Abst.)

P

Pain, intractable, in pelvis and lower extremities, intrathecal injection of solution of alcohol for (Meynier), 265
Panhysterectomy, vaginal, operation to correct genital prolapse following (Brady), 295
Paraldehyde analgesia in labor (Moore and McCurdy), 97
Parametrial fixation operation, motion picture of anatomy and technic of (Frank), 174
Parental age difference and conception of congenitally malformed children (Murphy), 873
Pelvic conditions, extraperitoneal, in women (Brady), 577
endometriosis, bicornate uterus with ovarian, omental and (Frosch), 490
inlet, size and shape of, as determined by direct measurement (Schumann), 832
temperatures, comparative study of, under various therapeutic procedures (Ingraham), 1048
tumors, retroperitoneal, encountered by gynecologist (Miller), 652
Pelvicephalography (Ball), 249
Pelvimetric roentgenography, further improvement in (Jacobs), 76
Pelvis, female, shape of, correlation between shape, and clinical course of labor (Pettit, Garland, Dunn, and Shumaker), 1076 (Abst.)
intractable pain in, and lower extremities, intrathecal injection of solution of alcohol for (Meynier), 265
Pentavalent arsenical, aldarsone, investigation of a new, in treatment of trichomonas vaginitis (Bland and Rakoff), 835
Phosphatase and calcium studies in cancer of female sex with consideration of basal metabolic rate and urine pH (Bowman and Pitts), 957
Pituitary growth hormone, effect of hypophysectomy and, on transplantable rat sarcoma (Emge and Murphy), 593
posterior, during labor, small doses of (Gavaudan), 128 (Abst.)
Pituitrin intravenously in third stage of labor, use of (Pastore), 280
Placenta, premature separation of (Rudolph), 479
previa, study of 308 cases of (Irving), 36
treatment of (Davis), 518
results of (Ronsheim), 139

Placental origin of excessive prolan of late pregnancy toxemia and eclampsia (Smith and Smith), 360 (Abst.)
transmission of nonanesthetic doses of barbital (Dille), 328
Placentas, study of 1,000 (Harer), 794
Plasma volume changes in eclampsia, blood and (Dieckmann), 927
Pneumonia, congenital (Leff), 286
Poisoning with apiol (Patoir, André, and Patoir), 428 (Abst.)
Polyneuritis and myelitis (Vayrynen), 316 (Abst.)
of pregnancy (Bingham), 144
Polyps, benign and malignant, of cervix uteri (Geiger), 465
Postnatal and antenatal care (Browne), 528 (Book review)
Postpartum period, drugs in (Moir), 1082 (Abst.)
Practical problems in obstetrics and gynecology, department of, 518, 887, 1069
Preeclampsia, blood lipids in (Boyd), 937
narcosis à la reine and (Winckler), 279 (Abst.)
Pregnancy, abdominal, at term with delivery of normal living child, (Woods), 155
after removal of both ovaries (Scott), 1067
and acute nephritis (Dieckmann), 227
and delivery at term following reconstruction of oviducts (Holden), 346
and puerperium, acid-base balance of blood during normal (Nice, Mull, Muntwyler, and Myers), 375
blood during normal, nonprotein, urea and rest nitrogen of (Cadden and Faris), 421
anemia in (Adair, Dieckmann, and Grant), 560
appendicitis, acute, complicating late (Hawkes), 501
Banti's disease and (McKenzie), 486
diabetes complicating (Ill), 157
eclampsia and other toxemias of, 355 (Abst.)
blood and plasma volume changes in (Dieckmann), 927
statistical survey of (Kimbrough and Shirey), 415
ectopic, unruptured, two cases of (Scheffler), 1061
endometriosis during final month of (Olson and Hansmann), 148
Friedman test, quantitative, in hydatidiform mole and vomiting of (Schoeneck), 104
full-term, complicated by acute intestinal obstruction and false labor pains (Casagrande), 1058
normal, following use of 1000 mg. hr. of radium for menorrhagia (Schmitz), 351
hematosalpinx, twisted, complicating (Savage), 1043
interstitial (Kanter), 167; (Reeves), 880
unruptured (Tucker), 352
labor, cervical dilatation in dry, and after deliberate early rupture of membranes (King), 201
third stage of, use of pituitrin intravenously in (Pastore), 280
uterine soft parts in, rôle of lower (Caldwell, Moloy, and D'Esopo), 727
late toxemias of, prevention and prognosis of (Fairbairn), 356 (Abst.)
polyneuritis of (Bingham), 144
preeclampsia, blood lipids in (Boyd), 937
Pregnancy—Cont'd
test for, new, rapid, economical and certain gynecologic conditions (Gilfillen and Gregg), 498
toxemias of (McIlroy), 355; (Rowe, McManus, and Riley), 358 (Absts.)
pyelitis in (Peters, Lavietes, and Zimmerman), 911
triple, diagnosed by means of x-ray (Ballard), 317
tubal, in case of bilateral tubal implantation (Sovak), 344
tuboovarian (Kennedy), 1050
vitamins A and D concentrates during, intramuscular injection of (Finkelstone, Howard, and Paris), 113
vomiting of, quantitative Friedman test in hydatidiform mole and (Schoeneck), 104
Premature rupture of membranes as means of inducing labor (Plass and Seibert), 785
separation of placenta (Rudolph), 479
President's address (Watson), 547
Primates, ovulation in, observations upon (Morse and van Wagenen), 823
Progesterone in combating habitual abortion, use of (Kane), 110
therapy, treatment of endometrial hyperplasia by, some points in (Wilson and Elden), 194
treatment for dysmenorrhea (Elden and Wilson), 91
Progestin, effects of, on afterpains (Lubin and Clarke), 134
or estrin therapy, menstrual bleeding after corpus luteum excision followed by (Wiesbader, Engle, and Smith), 1039
Prolan and estrin in pregnancy (Smith and Smith), 361 (Abst.)
of late pregnancy toxemia and eclampsia (Smith and Smith), 360 (Abst.)
Prolapse, genital, following vaginal panhysterectomy, operation to correct (Brady), 295
Prolapsed uteri, carcinoma of cervix in (Strauss), 1068
Pruritus of vulva and anus, skin affections underlying (Hunt), 592 (Abst.)
Pseudopregnancy and sterility (Seguy and Isidor), 1053 (Abst.)
Psychiatry, child (Kanner), 534 (Book review)
Puerperal deaths in Memphis, investigation and analysis of (Reinberger), 170
inversion of uterus, contribution to etiology and treatment of (Gordon), 399
morbidity, factors affecting incidence of (Gegerson, Gegerson, and Penner), 118
Puerperium, active evidence in favor of more (Atlee), 1081 (Abst.)
and pregnancy, blood during normal, nonprotein, urea, and rest nitrogen of (Cadden and Faris), 421
blood during normal pregnancy and, acid-base balance of (Nice, Mull, Muntwyler, and Myers), 375
ergot alkaloids in, notes on use of recently introduced (DerBrucke), 474
ergot in (Beecham), 330
fatal air embolism on eighth day of (Quigley and Gáspár), 1054
Pulmonary congestion and pulmonary edema neonatorum (Leff), 286
Pyelitis in toxemias of pregnancy (Peters, Lavietes, and Zimmerman), 911
Pyosalpinx, double, due to salmonella newport infection (Brown), 226 (Abst.)

Q

Quadruplets, case of (Constantine), 1085 (Abst.)
Eynesbury (Harrisson), 1000 (Abst.)
Quinine, antenatal administration of (Ganner), 906 (Abst,)
in normal labor (Mitchell and Bradbrooke), 907 (Abst.)

R

Radiation in borderline cancer of cervix, iliac lymphadenectomy plus (Taussig), 777
Radium for menorrhagia, full-term normal pregnancy following use of 1000 mg. hr. of (Schmitz), 351
irradiation for benign hemorrhage (Norris and Behney), 661
Rectal and vaginal examinations performed during labor, effects of (Gegerson, Gegerson, and Penner), 118
examination during labor (Sciclounoff), 908 (Abst.)
Renal function in pregnancy toxicosis and eclampsia (de Snoo), 358 (Abst.)
Reproductive efficiency before and after birth of malformed children (Murphy), 374 (Abst.)
Retroperitoneal cystic fibroid, forty-nine-pound (Lindeman), 151
pelvic tumors encountered by gynecologist (Miller), 652
Rhabdomyoma of uterus (Harding and Hankins), 178 (Abst.)
Roentgenography, pelvimetric, further improvement in (Jacobs), 76
Rupture of graafian follicle or corpus luteum, symptomatic (Kretzschmar and Arnell), 308
of membranes before onset of labor, spontaneous (Ballard), 445
cervical dilatation in dry labor and after deliberate early (King), 201
induction of labor by (Blair), 906 (Abst.)
premature and very early (Winter), 905 (Abst.)
as means of inducing labor (Plass and Seibert), 785
pains in cases of, significance of number of (Goecke), 907 (Abst.)
of uterus, fetus removed from mother's thigh following (Coutts), 1083 (Abst.)

S

Safe period, inquiry on, by National Committee on Maternal Health 1086 (Correspondence)
Salmonella newport infection, double pyosalpinx due to (Brown), 226 (Abst.)
Santonin in antitoxic function of liver, use of (Picardi), 360 (Abst.)
Sarcoma of ovaries, bilateral (Maggi), 257 (Abst.)
Second All India Obstetric and Gynaecological Congress, 545
Septicemia, chorionepithelioma complicated by (Cron), 348
Shock, obstetric (Rucker), 1081 (Abst.)
Society transactions of Brooklyn Gynecological Society, 175, 1075
Chicago Gynecological Society, 175, 354, 538, 1075
New York Obstetrical Society, 174, 354, 538, 1075
Obstetrical Society of Philadelphia, 538
Washington Gynecological Society, 175
Sodium evipan in obstetrics and gynecology (Weber), 75 (Abst.)
Splenectomy (McKenzie), 486
Stenosis, atresias and cervical (Lesnoi), 1074 (Abst.)
esophageal, of newborn, tracheoesophageal fistula and complete (Kassebohm and Schreiber), 509
Sterility and uterine fibroids (Randazzo), 177 (Abst.)
feminine, tubal occlusion in (Robecchi), 872 (Abst.)
pseudopregnancy (Seguy and Isidor), 1053 (Abst.)
some aspects of, consideration of (Moench), 406
Surgery, chemical, of pelvic sympathetic in essential vulvar pruritus (Enea), 327 (Abst.)
postgraduate (Maingot), 535 (Book review)

T

Tannic acid, study of action of gonadotropic substances precipitated by (Nau), 272
Temperatures, pelvic, comparative study of, under various therapeutic procedures (Ingraham), 1048
Test, biologic, for diagnosis of intrauterine fetal death (Rezek), 976
for pregnancy, new, rapid, economical, and certain gynecologic conditions (Gilfillen and Gregg), 498
Friedman, quantitative, in hydatidiform mole and vomiting of pregnancy (Schoeneck), 104
Thymophysin in cases of uterine atony (Kottneier), 353 (Abst.)
Toxemias of pregnancy (McIlroy), 355; (Rowe, McManus, and Riley), 358; (Daly), 299; 355; (Ross), 363; (Strauss), 357; (Hurwitz and Bullock), 361 (Absts.)
kidney function tests in relation to (Cadden and McLane), 359 (Abst.)
late effects of (Evans), 358; (Fairbairn), 356; (Gibberd), 359 (Absts.)
pyelitis in (Peters, Lavietes, and Zimmerman), 911
Tracheoesophageal fistula and complete esophageal stenosis of newborn (Kassebohm and Schreiber), 509
Traumatic gynatresia (Kassebohm and Schreiber), 869
Trichomonas and vaginal discharge (Assinder), 494 (Abst.)
vaginalis in vitro, studies on (Shelanski), 510 (Abst.)
vaginitis (Huffman), 193 (Abst.)
vaginitis, aldarsone in treatment of, investigation of pentavalent arsenical (Bland and Rakoff), 835
Tubal implantation, bilateral, tubal pregnancy in case of (Sovak), 344
occlusion in feminine sterility (Robecchi), 872 (Abst.)
pregnancy in case of bilateral tubal implantation (Sovak), 344
Tubes, fallopian, primary cancer of (Robinson), 84
Tuboovarian pregnancy (Kennedy), 1050
Tumors, Brenner, genesis of (Fauvet), 698 (Abst.)
of ovary (Gaines), 457
granulosa cell, bio-assay of (Gospe), 495
of ovary (Wolfe and Kaminester), 485 (Abst.)
growth, relation of endocrine system to (Emge and Murphy), 593
Krukenberg, is there primary (Celentano), 257 (Abst.)
of ovary (Bernstein), 1023
ovarian, carotin in (Chi, Li, and Yang), 698 (Abst.)

Tumors, Ovarian—Cont'd
operations for, study of 1,101 cases of (Bernstein), 1023
retroperitoneal pelvic, encountered by gynecologist (Miller), 652
Twin-locking (Coleman), 1084 (Abst.)
Twins with doubly knotted cords (Frewer), 1084 (Abst.)

U

Umbilical cord clamp (Kahn), 903 (Correspondence)
improved (Kahn), 513
new all metal (Ziegler), 884
Umbilicus, endometriosis of (Strongin), 336
Urea, nonprotein, and rest nitrogen of blood during normal pregnancy and puerperium (Cadden and Faris), 421
Urethane, dial, for obstetric analgesia (Brown), 1017
Urinary infections, mandelic acid in treatment of (Lyon), 478 (Abst.)
Urine of obstetric patients, microscopic and bacteriologic study of (Harris and Herrmann), 300
pH and basal metabolic rate, calcium and phosphatase studies in cancer of female sex with consideration of (Bowman and Pitts), 957
retention of, in women (Houtum), 96 (Abst.)
specimen, collecting a clean (Carroll), 1066
Uteri, prolapsed, carcinoma of cervix in (Strauss), 1068
Uterine atony, thymophysin in cases of (Kottneier), 353 (Abst.)
contractions during labor (Defendi), 908 (Abst.)
disease, benign, total hysterectomy by abdominal versus vaginal route in (Richardson), 641
fibroids (Witherspoon), 176 (Abst.)
fibromas after menopause (Goldenberg-Bayler), 180 (Abst.)
soft part in labor, rôle of lower (Caldwell, Moloy, and D'Esopo), 727
ruptures, (Naljawinsky), 1082 (Abst.)
Uterus, adenocarcinoma of, relation of endometrial hyperplasia to (Novak and Yui), 674
bicornate, with ovarian, omental and pelvic endometriosis (Frosch), 490
carcinoma of body of (Norris and Dunne), 982
fibromyomas of, study of, with respect to endometrium, myometrium, symptoms, and associated pathology (Kanter, Klawans, and Bauer), 183
interposition of, secondary sequelae after (Dannreuther), 699
polyps of (Hamant, Chalnot, and Vichard), 178 (Abst.)
puerperal inversion of, contribution to etiology and treatment of (Gordon), 399
rhabdomyoma of (Harding and Hankins), 178 (Abst.)
Uterus—Cont'd
rupture of, fetus removed from mother's thigh following (Coutts), 1083 (Abst.)
treatment of (Bazán and Imaz), 1083 (Abst.)

V

Vaginal and rectal examinations performed during labor, effects of (Gegerson, Gegerson, and Penner), 118
discharge, human, hydrogen ion concentration of (Oberst and Plass), 22
flora, survey of, at various ages, with special reference to Döderlein bacillus (Weinstein, Bogin, Howard, and Finkelstone), 211
panhysterectomy, and operation to correct genital prolapse following (Brady), 295
route, total hysterectomy by abdominal versus, in benign uterine disease (Richardson), 641
Vaginitis, emphysematous (Robberson and Owen), 1062
histopathology and treatment of (Adair and Hesseltine), 1
senile, new concept of (Simpson and Mason), 125
trichomonas, aldarsone in treatment of, investigation of new pentavalent arsenical (Bland and Rakoff), 835
Vertex presentation with extended head (te Groen), 1077 (Abst.)
Vesicovaginal fistula, pad for keeping patient dry in bed in cases of (Murphy), 516
Vitamins A and D concentrates, intramuscular injection of, during pregnancy (Finkelstone, Howard, and Paris), 113
Vocal cord, metastatic carcinoma to ovary from (Kirshbaum), 165
Vulva, myiasis of (Perez and Arenas), 673 (Abst.)
pruritus of, and anus, skin affections underlying (Hunt), 592 (Abst.)
Vulvar pruritus, chemical surgery of pelvic sympathetic in essential (Enea), 327 (Abst.)

W

Washington Gynecological Society, transactions of, 175
Woman (Ploss, Bartels, and Bartels), 533 (Book review)
similarity in cervix of rhesus monkey and (Dickinson and Hartman), 813

X

X-ray, abortion, therapeutic, by means of (Mayer, Harris, and Wimpfheimer), 945
diagnosis of triple pregnancy by means of (Ballard), 317
in diagnosis of dermoid cyst (Heffernan), 507

